


OFFSET-FEED DISH



CALCULATIONS

Parabola





- All parabolas are similar

$$y_P = b x^2$$

- Scaling parameter determines:
 - Relative curvature
 - f/D
 - How 'shallow' or 'deep' the dish


Paraboloid




- Plane waves are focused *IN-PHASE* to the focal point
- A paraboloid surface is a parabola rotated about the focal axis
- Dish reflectors are usually defined by the intersection of a paraboloid and a plane
 - Axial feed: intersecting plane is perpendicular to focal axis
 - Offset feed: intersecting plane cuts through the origin (end of focal axis)

Single Reflector Dish Feeds

AXIAL FEED



OFFSET FEED





- *AXIAL FEED HORN BLOCKS DISH APERTURE*
- *AXIAL FEED MATCH IS AFFECTED BY DISH REFLECTION*
- *OFFSET FEED HAS A LARGER EFFECTIVE f/D*



Assumptions

- Analysis based on measurements along vertical cross-section of dish
- Bottom of dish is origin of full parabola
- Two measurements determine solution:
 - Vertical width of dish
 - Depth of dish at center



Deep-Dish Example




Shallow-Dish Example



HughesNet Dish



Offset-Feed Geometry



Analysis

Linear equation (vertical width): $y_L = ax$

Parabolic equation (offset-dish): $y_P = b x^2$

Equivalence at top end: $y_L(x_e) = y_P(x_e)$

$$a x_e = b x_e^2$$

$$x_e = \frac{a}{b}$$

Depth of dish: $y_\Delta = y_L - y_P = ax - bx^2$

Find maximum: $\frac{d}{dx} y_\Delta = a - 2bx \equiv 0$ (set to zero and solve)

$$\max y_\Delta \xrightarrow{\text{yields}} x = \frac{a}{2b} = \frac{x_e}{2}$$

$$\max y_\Delta = \frac{ax_e}{2} - \frac{bx_e^2}{4} = \frac{y_L(x_e)}{2} - \frac{y_P(x_e)}{4}$$

Define y_{MAX} : $y_{max} = y_L(x_e) = y_P(x_e)$

$$\max y_\Delta = \frac{y_{max}}{2} - \frac{y_{max}}{4} = \frac{y_{max}}{4}$$

From measured $\max y_\Delta$: $y_{max} = 4(\max y_\Delta)$, this always occurs at $x = x_e$

Tilt angle: $\theta = \sin^{-1} \left[\frac{y_{max}}{h} \right]$, h is vertical width of dish

Analysis

Find axial focus:

$$(F - y_{max})^2 + x_s^2 = [2F - (F - y_{max})]^2$$

$$x_s^2 = 4 F y_{max}$$

$$F = \frac{1}{4b}$$

$$y_{max} = b x_s^2 \xrightarrow{\text{yields}} b = \frac{y_{max}}{x_s^2}$$

$$x_s = \sqrt{h^2 - y_{max}^2}$$

$$b = \frac{y_{max}}{(h^2 - y_{max}^2)}$$

$$F = \frac{h^2 - y_{max}^2}{4 y_{max}} = \frac{h^2 - 16(\max y_{\Delta})^2}{16 \max y_{\Delta}} = \frac{h^2}{16 \max y_{\Delta}} - \max y_{\Delta}$$

Top end focal distance:

$$F_s = \sqrt{x_s^2 + (F - y_{max})^2}$$

Horn pointing angle:

$$\psi = \frac{\phi}{2} = \frac{1}{2} \cos^{-1} \left[\frac{F - y_{max}}{F_s} \right]$$

Effective f/D :

$$\frac{\cot(\psi)}{2}$$

HughesNet Dish Solution

MEASUREMENTS

$$\max y_{\Delta} = 1.8''$$

$$h = 25.2''$$

SOLUTION

$$F = \frac{25.2^2}{16(1.8)} - 1.8 = 20.25''$$

$$y_{max} = 4(1.8) = 7.2''$$

$$\theta = \sin^{-1}\left(\frac{7.2}{25.2}\right) = 16.6^\circ \text{ (tilt)}$$

$$x_e = 25.2 \cos(16.6) = 24.15''$$

$$F_e = \sqrt{24.15^2 + (20.25 - 7.2)^2} = 27.45''$$

$$\psi = \frac{\phi}{2} = \frac{1}{2} \cos^{-1} \left[\frac{20.25 - 7.2}{27.45} \right] = 30.8^\circ \text{ horn pointing angle}$$

$$\text{effective } \frac{f}{D} = \frac{\cot(30.8)}{2} = 0.839$$